

MISSISSIPPI STATE DEPARTMENT OF HEALTH


BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2009 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

OKATOMA WATER ASSOCIATION, INC.
Public Water Supply Name

0640009 & 0640022
List PWS ID #s for all Water Systems Covered by this CCR

confide	ence report (CCR) to its customers each year	r. Depending on the popu	rater system to develop and distribute a alation served by the public water system on, or provided to the customers upon req	this CCF
Please	Answer the Follo	owing Questions Regardin	g the Consumer Confide	nce Report	
7. 1 L. 1	Customers were	e informed of availability or	f CCR by: (Attach copy o	f publication, water bill or other)	
	X 1	Advertisement in local pa On water bills Other	per		
	Date custome	rs were informed:/			
	CCR was dist	ributed by mail or other	direct delivery. Speci	fy other direct delivery methods:	
	Date Mailed/Di	stributed: / /			
X	CCR was publis	shed in local newspaper. (A	ttach copy of published (CCR or proof of publication)	
	Name of Newsp	paper: SMITH CO REFORM	MER; MAGEE COURIER	THE NEWS COMMERCIAL	
	Date Published:	06 / 02 / 10	06/03/10	06/02/10	
0	CCR was posted	d in public places. (Attach	list of locations)		
	Date Posted:	/ /			
17	CCR was posted	d on a publicly accessible in	nternet site at the address:	www	
CERT	<u>IFICATION</u>				
the for consiste	m and manner id ent with the wat	entified above. I further of	certify that the information of the public aprovided to the public	ted to the customers of this public water on included in this CCR is true and corr water system officials by the Mississ	rect and is
B	an X	Mayor, Owner, etc.)	_	6 - 8 - 10 Date	
Nàme/	The same of the sa	· ()			
	Mail Co	mple ted F orm to: Bureau	of Public Water Supply/I Phone: 601-576-7518	P.O. Box 1700/Jackson, MS 39215	



2009 Annual Drinking Water Quality Report Okatoma Water Association, Inc. PWS#: 0640009 & 0640022 May 2010

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Catahoula and Citronelle Aquifers.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Okatoma Water Association have received a lower to higher susceptibility ranking to contamination.

If you have any questions about this report or concerning your water utility, please contact William Perry at 601.849.5511. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Tuesday of the month at 7:00 PM at 123 South Main Street, Magee, MS.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that we detected during for the period of January 1st to December 31st, 2009. In cases where monitoring wasn't required in 2009, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming, pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

PWS ID#	<u>004000</u> 5	/		TEST RES	OLIS	•			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detect # of Samples Exceeding MCL/ACL	Mea	Init asure nent	MCLG	MCL	Likely Source of Contamination
Inorganic (Contam	inants							
10. Barium	N	2008*	.038	No Range	ppm	1	2		Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
12. Cadmium	N	2008*	.076	No Range	ppb		5		5 Corrosion of galvanized pipes; erosion of natural deposits; discharge from metal refineries; runoff from waste batteries and paints
16. Fluoride	N	2008*	.479	No Range	ppm	1	4		Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2008*	1	0	ppb		0	AL=1	Corrosion of household plumbing systems, erosion of natural deposits
19. Nitrate (as Nitrogen)	Z	2009	4.84	3.44 - 4.84	ppm	1	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits
Disinfection	n By-Pr	oducts							
82. TTHM [Total trihalomethanes]	N 2	2008* 4	.25 N	lo Range	ppb		0	80	By-product of drinking water chlorination.
Chlorine	N 2	2009 1	.13 .0	63 – 1.13	ppm		0 MD	RL = 4	Water additive used to control microbes

PWS ID#				TEST RE							
Contaminant	Violation Y/N	Date Collected	Level Detecte	Range of Detect # of Sample: Exceeding MCL/ACL	s Measur	e	MCLG		٨	1CL	Likely Source of Contamination
Inorganic (,		14		Land				45 T		
17. Lead	N	2008*	1	0	ppb		0	AL=	:15	corrosion of l systems, eros deposits	nousehold plumbing sion of natural
19. Nitrate (as Nitrogen)	N	2009	1.31	.35 – 1.31	ppm		10	-		Runoff from for leaching from sewage; eros deposits	septic tanks,
Disinfection	n By-Pı	oducts									
82. TTHM [Total trihalomethanes]	N	2008*	7.49	No Range	ppb	(0	80		product of drir orination.	king water
Chlorine	N	2009	1.03	.87 – 1.03	ppm	C) MDI	RL = 4		ter additive us	ed to control

^{*} Most recent sample. No sample required for 2009

We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. We did complete the monitoring requirements for bacteriological sampling that showed no coliform present. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The Okotoma Water Association, Inc. works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

2009 ANNUAL I

I not be mailed to customers, however, copies are a ch are the heart of our community, our way of life : ssociation, Inc. works around the clock to provide t Water Hotline 1-800-426-4791.

m appropriate means to lessen the risk of infection e particularly at risk from infections. These people motherapy, persons who have undergone organ tran nore vulnerable to contaminants in drinking water t '16/t

aminants and potential health effects can be obtain ints of some contaminants. The presence of contai organic chemicals and radioactive substances. All water are subject to potential contamination by si

Public Health Laboratory offers lead testing for \$ exposure is available from the Safe Drinking Wa ad in your water, you may wish to have your water potential for lead exposure by flushing your tap for but cannot control the variety of materials used in and components associaterd with service lines and els of lead can cause serious health problems, espec

ensure systems complete all monitoring requireme ter meets health standards. We did complete the m nitor your drinking water for specific constituents (to sample required for 2009.

1-8

No Range

MDREST Water 28d MB Greet to con

5003

82-78	9.44	*8002	N
54-46	34.25	\$008	N
		s)	Produc
0	ε	. 8008*	N
0	ζ.	\$008	N
No Range	6.1	±900€	N
No Range	831.	*8005	N

CHIBITITE

Ν

N u

				<u>staenime</u>
	Exceeding MCI/ACL # of Samples	Level Detected	Date Collected	noitaloiV N\Y
1	TEST			810039
-	1-8.	T i	5000	N

100.

Products

2008

No Rang	S95.	5003	N
		0011101111	
		atnanin	ic Contan
- 0	2	\$008	N
0	2.	2008*	N
No Bang	Ĝ,	\$000 \$	N
ynsH oN	900.	.5006*	N
	-	gnsЯ oV	0 S. *800S

at Pelahatchie at the Yogi Bear Park. Lee and Cindy Littrell joined them there. They fished OKATON and swam and saw Yogi Bear. PWS# (They had a great time and didn't have to go millions of miles from home to have fun.

on the p

stick.

Daddy

ing stic

one so

uses the

He use

up and

both pu

of the s

How sv

very go

job with

out last

ing a b

excited Judg

hospita

his fam

improv

and his

attende

Ball in

106 B

Veterar

Iraqi/F

returne

very go

attende Tana h

and gir

sixth gr

all the their ac

Martha

to New

attende

dance i

and Er

Myka s and car

and Ma

Enterpr

attende

weddin

ter, Rac

groom,

state N

ed all th

supper,

reception

pretty.

was hel

would

L.B.

Tony

up. Tony

Rece

Fran

Bro.

night.

We I

I was working in the yard Saturday evening and Prentis -si was cutting hay. The tractor quit so I asked him what was wrong. He had got the tractor Bu stuck but he did it so it was no or big deal. Then he decided to -o move the big fertilizer truck yı across the road. When he got -1 the truck across the road and almost out of the road, it went dead. I had to help him crank st it. When he said give the truck s some gas, I patted the gas -1 instead of giving it gas. That was wrong. It didn't crank because I ran the battery down. Then I had to try to pull 1: the truck out of the road using a truck that had a long trailer s behind it that was headed down an incline.

I asked if I needed any special instructions and Prentis said to just pull the truck. The truck I was pulling with was dirty, had dirty windows and mirrors and as very noisy. I pulled Prentis before he had a chance to get in the truck and steer it. Well, he didn't say wait and I surely couldn't see through the windows and mirrors. Thank goodness the rope we were using broke. We still didn't have the truck out of the road. We tried a couple more times with me waiting until Prentis got in the truck. The rope broke every time.

He was going to push it out of the road with his four wheel drive. The fender was bending so that didn't work. I asked about a chain. He got one and we pulled it with the truck and tailer on the incline and got it our of the road.

And then..we had to go get the four wheel drive tractor to get the other tractor out of the bog. Prentis put the chain to the tractor. I asked about special instructions but didn't get any except which thing to put squeuimett my foot on so the tractor

PROOF OF PUBLICATION

The State of Mississippi, County of Smith

PERSONALLY CAME before me, the undersigned a Notary Public in and for SMITH COUNTY, MISSISSIPPI the OFFICE CLERK of the SMITH COUNTY REFORMER, a newspaper published in the Town of Raleigh, Smith County, in said State, who being duly sworn, deposes and says that the SMITH COUNTY REFORMER is a newspaper as defined and prescribed in §13-3-31 of the Mississippi Code 1972 Annotated and that the publication of a notice, of which the annexed is a copy, in the

matter of	
Okadoma Water a.	u ic
2009 annual	
Drinking Water	
Quality Report	· · · · · · · · · · · · · · · · · · ·
has been made in said paper consecutively, to-wit:	times
On the 2 day of June	20/0
On the day of	_20
On the day of	_20
On the day of	_20
OFFICE CLERK	
SWOPN to and subscribed before me	

this the day of

Words

Cost

PROOF OF PUBLICATION

THE STATE OF MISSISSIPPI COUNTY OF SIMPSON

Personally appeared before me, the undersigned Notary
Public, in and for the County and State aforesaid Shelley Fair hild
who being by me duly sworn states on oath, that she is
of The Magee Courier a news-
paper published in the City of Magee, State and County
aforesaid, and that the publication of the notice, a copy of
which is hereto attached, has been made in said paper
times, as follows:
In Vol. 13 No. 10 Date 3 day of 3112 2010.
In Vol No Date day of 2010.
In Vol No Date day of 2010.
In Vol No Date day of 2010.
In Vol No Date day of 2010.
In Vol No Date day of 2010. Signed Vol Date day of 2010.
Signed Signed Signed
Sworn to and subscribed before me, this

/
Notary Publica LY L. CRANT
SPECIAL EXPIRES
My Commission Expires: commission Expires.
, Mesonico.
No. words at <u>5113</u> cts. Total \$585.00
Proof of Publication: \$ 3.00
.c.l
Total Cost: \$ 5800

Proof of Publication

STATE OF MISSISSIPPI COVINGTON COUNTY

PERSONALLY APPEARED before me, the undersigned authority, in and for said County and State, **Analyn Arrington Goff**, Publisher of **THE NEWS-COMMERCIAL**, a newspaper published in Collins, said County, who being duly sworn, says the publication of a certain notice, a true copy of which is hereto attached, was made in said paper on the hereinafter dates, as follows, to-wit:

Vol108	No. <u>46</u>	Dated June 2, 2010	
Vol	No	Dated	
Vol	No	Dated	
Vol	No	Dated	
_W	nalyn .	A. Soff	_Publisher
Sworn to and su	ubscribed before	me, this theda	y of
	June	, 2010.	
4	Times O		tary-Public
)	OF MARIN	S8/SGION CO
Printer's Fee	\$ <u>192.00</u>	ID N 7220 NOTARY	BO T ★
Proof of Publica	ition \$ <u>3.00</u>	Comm. E Dec. 18	,2011
TOTAL	\$ <u>195.00</u>	VGTO	N CO.
•			

	The state of the s	The state of the s		The state of the s	200 200 200 200 200 200 200 200 200 200
	0000			Committee of the Commit	A STANDARD COMPANY OF STANDARD STANDARDS
	ZIBBU Americal I		Trans.		The state of the s
		JUINKING W	STOP Garaly		The state of the s
		~ * * * * * * * * * * * * * * * * * * *	awa vuan	V 4X1/136311	Personality recognitions i an arm
20 C C C C C C C C C C C C C C C C C C C	2009 Annual I Water Associati	The second second second second second			· 在一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个
IKSTOMS	Maton Agganiate	TOTATE II	0040000	3882 SE 38 SA SE	The succession of the second o
~ ************************************	Trace Assembli		THAT HIM I	, nennaa	The second of th
		~~~ A 7/1 A 7/17	CUTUMUNT	K MOULEZZ	- Mar 71111
	TESTINATE TOTAL PRODUCTION OF THE PER			~ ~~~~~~~	" - YAQY ZUIU

aking water below which there is no known or expected risk to health, MCLOs gillow, for il Level (MRDL). The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is nices Level Goal (ARDLG). The level of a drinking water districtant below which there is no known or expected risk of health. MRDLGs do not reflect the ben-control microbial contaminants.

Contaminant	Violation Y/N	Collected	Level	TEST RESU				
		1	Detected	# of Semples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCI.	Likely Source of Contemination
Inorganic	Contam	inanta	Q.				tation in the	
10. Barium	N	2008*	.038	No Range	ppm	2	2	Discharge of drilling wastes:
12. Çedmlum	N	2008*	.076	No Flange			2019	erosign of netural deposits
		,		11071410	ppb	5	6	Correlon of galvanized pipes; eraion of natural deposits; discharge from mater reference; most from waste between
6. Fluorida 7. Lond	2	5008.	479	No Rappe	epri	•	•	Errostor of reduced deposits: water additive which promotes strong
. Land	*	2008*	1	0	pape .	0	AL=15	Corresion of household of the
9. Hitrato (ao Hiragog)	N	2008	4.44	3.44 - 6.84				deposits
FC 22 (1.15) 5 (1.15)					epm)	10	10	Printed Specifications and learning from the second specific territor, accompany or part of restaural properties.
)isinfectio	n By-Pr	oducts				100		A 100 100 100 100
otel Preformatheres		008" 4.2	# TH6	Range (girls		91	90 B	r-product of drinking water
triorine	N as	9.1	3 63	-1.13 ppm	+	A MOR	- 4	Mormotion.
<del></del>	<del></del>					•		Crothers .
WS ID # (	1640022			TEST RESUL				
citeminera	Vigitation V/si	Dette Collected	Level Detected	Plange of Detects or		ACLO		MCI. Likely Source of Contembration
oorganie (	Contemi	nents		MCI/ACL	1			
					400 PM			
Lead.	IN T	20061	3 T	<del>д — </del>	oph T		ALVIS I	Corresion of household plumbing

		Carlo	Trecas	ding 2000	Manager and P			MCL	Likely Source of Contembration
Conts	minen	ta .	7110			•	1		-1
7"	2006	7	0		ppb	-			o of household plumbing
1	2009	1.91	.35 - 1.31	7.77	ppm	10	1545	Geposits 10 Stunot i	, eroelon of natural nom fortilizer use; from septic tentes.
n Rv-	Produc	2.1000000000000000000000000000000000000	11.54.48616	1180 SEE.	1100000	30003345	10.5%	SEL MOWNER	Stosion of appured
N	2908°	7.49	No Range	Poly	1	P	80	By-product o	drinking water
N de Nove	2009	1.03	.87 — 1.pa	PPm		8.8 to AS 25 to	200 00000	Water edditi	ve used to control
	Conts	Contaminan N 2006 N 2006 N 2006 N 2006 N 2006	Contaminants    1			Conteminants    1	Conteminants   Cont	Contaminants	

non Asardy's Safe frindings by the second property of the prop